

MATERIAL SAFETY DATA SHEET

MSDS Name: DPR-35/DPR-40/DPR-75/DPR-400
MSDS Number: 004-0
Version Number: I
MSDS Date: JULY-01-2010
Page Number: 1 of 5

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: DPR-35/DPR-40/DPR-75/DPR-400
Hazard Rating: Health: 0 Fire: 1 Reactivity: 0 PPI:

Company Identification: PACER INDUSTRIES, INC
200 RED RD.
COATESVILLE, PA 19320

Contact: JANE MYERS
Telephone/Fax: (610) 383-4200 (610) 383-4239
Emergency Phone: OFFICE MANAGER
(610) 383-4200

Preparer: J. MYERS
OFFICE MANAGER
Chemtrec (24 Hour): (800) 424-9300

Product Class: POLYISOPRENE ELASTOMER
Trade Name: DPR-35/DPR-40/DPR-75/DPR-400

SECTION II - INGREDIENT AND HAZARD INFORMATION

Ingredients CAS Number
(No hazardous ingredients known at this time.)

SECTION III - HAZARDS IDENTIFICATION

EYE CONTACT:
MAY CAUSE EYE IRRITATION.
SKIN CONTACT:
HEATED PRODUCT MAY CAUSE THERMAL BURNS.
INHALATION:
NONE KNOWN.
INGESTION:
NONE KNOWN.

SECTION IV - FIRST AID MEASURES

MATERIAL SAFETY DATA SHEET

MSDS Name: DPR-35/DPR-40/DPR-75/DPR-400

MSDS Number: 004-0

Version Number I

MSDS Date: JULY-01-2010

Page Number: 2 of 5

EYE CONTACT:

FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

SKIN CONTACT:

WASH WITH SOAP AND WATER. FOR HOT PRODUCT, IMMEDIATELY IMMERSE IN OR FLUSH THE AFFECTED AREA WITH LARGE AMOUNTS OF COLD WATER TO DISSIPATE HEAT. COVER WITH STERILE GAUZE AND GET PROMPT MEDICAL ATTENTION. DO NOT REMOVE MATERIAL FROM SKIN, AS DAMAGED FLESH CAN BE EASILY TORN.

INHALATION:

MOVE TO FRESH AIR.

INGESTION:

IF APPRECIABLE QUANTITY SEEK MEDICAL ATTENTION.

SECTION V - FIRE-FIGHTING MEASURES

Flammability Class

IIIB

Flash Range:

Not Available

Pensky-Martens Closed Cup ASTM D 93
315F

Explosive Range:

Not Available

FIRE-FIGHTING MEASURES:

USE WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE.

USE FULL PROTECTIVE CLOTHING AND A POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS. DURING COMBUSTION PRODUCT WILL EMIT LARGE QUANTITIES OF DARK, ACRID SMOKE AND CARBON MONOXIDE.

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILLS:

RECOVER SPILLED MATERIAL AND PLACE IN SUITABLE CONTAINERS FOR RECYCLE OR DISPOSAL.

SECTION VII - HANDLING AND STORAGE

STORAGE CONDITIONS:

STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

MATERIAL SAFETY DATA SHEET

MSDS Name: DPR-35/DPR-40/DPR-75/DPR-400
MSDS Number: 004-0
Version Number I
MSDS Date: JULY-01-2010
Page Number: 3 of 5

ACGIH TLV ACGIH TLV-C ACGIH STEL OSHA STEL OSHA PEL

PERSONAL PROTECTIVE EQUIPMENT:

USE WITH ADEQUATE VENTILATION.

NORMAL USE OF THIS PRODUCT DOES NOT REQUIRE A RESPIRATOR.

WEAR A RESPIRATOR APPROVED BY NIOSH/MSHA WHENEVER EXPOSED TO FUMES OR VAPORS. COMPLY WITH OSHA 1910.134 (CFR).

LOCAL EXHAUST IS RECOMMENDED.

USE CHEMICAL RESISTANT PROTECTIVE GLOVES (NITRILE) TO PROTECT THE SKIN. FOR HOT PRODUCT USE HEAT RESISTANT GLOVE.

USE SAFETY GLASSES OR SAFETY GOGGLES TO PROTECT THE EYES.

EYE WASH STATION SHOULD BE AVAILABLE FOR EMERGENCY USE.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Form:	LIQUID
Appearance/Color:	DARK BROWN
Odor:	NATURAL RUBBER
Boiling Range:	Not Available
Vapor Pressure (mmHg):	Not Available
Melting Point:	Not Applicable
Evaporation Rate:	Unavailable
% Volatile	Not Available
Specific Gravity:	0.93

SECTION X - STABILITY AND REACTIVITY

Stability:	This product is stable
Hazardous Polymerization:	Hazardous polymerization will not occur

REACTIVITY:

INCOMPATIBILITY:

AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

CONDITIONS TO AVOID:

HIGH TEMPERATURES.

HAZARDOUS DECOMPOSITION PRODUCTS:

MATERIAL SAFETY DATA SHEET

MSDS Name: DPR-35/DPR-40/DPR-75/DPR-400
MSDS Number: 004-0
Version Number I
MSDS Date: JULY-01-2010
Page Number: 4 of 5

OXIDES OF CARBON AND NITROGEN.

SECTION XI - TOXICOLOGICAL INFORMATION

Lethal Dose Information (ppm)	Oral	Skin	Inhale	LC50
-------------------------------	------	------	--------	------

TOXICOLOGICAL INFORMATION:
NO INFORMATION IS AVAILABLE.

SECTION XII - ECOLOGICAL INFORMATION

NO INFORMATION IS AVAILABLE.

SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA CONSIDERATIONS:

THIS PRODUCT IF DISPOSED OF IN THE PURCHASED FORM IS NOT CONSIDERED RCRA HAZARDOUS.

SECTION XIV - TRANSPORT INFORMATION

UN Number	N/A
UN Pack Group	N/A
UN Class	N/A
ICAO/IATA Class	NOT REGULATED
IMDG Class	NOT REGULATED
Shipping Name	RUBBER LIQUID, NOS
ADR/RID Class	NOT REGULATED
DOT Hazard Class	
Technical Name	

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:

ALL INGREDIENTS CONTAINED IN THIS PRODUCT ARE ON THE TSCA INVENTORY.

INVENTORY STATUS:

THE COMPONENT(S) OF THIS PRODUCT HAVE BEEN VERIFIED TO BE LISTED ON THE FOLLOWING INVENTORIES:

UNITED STATES

MATERIAL SAFETY DATA SHEET

MSDS Name: DPR-35/DPR-40/DPR-75/DPR-400

MSDS Number: 004-0

Version Number I

MSDS Date: JULY-01-2010

Page Number: 5 of 5

CANADA (DSL)

EUROPE (EU)

AUSTRALIA

JAPAN

CHINA

KOREA

PHILIPPINES

NEW ZEALAND

SECTION XVI - OTHER INFORMATION

DISCLAIMER:

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT AS OF THE DATE HEREOF, DPR INDUSTRIES MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING SAME WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE. IN NO EVENT WILL PACER INDUSTRIES / DPR INDUSTRIES BE RESPONSIBLE FOR DAMAGES OF ANY NATURE WHATSOEVER RESULTING FROM THE USE OF OR RELIANCE UPON INFORMATION. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OF ANY NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.